



SIDE VIEW



OUTPUT VOLUME ADJUSTMENT

TO SET PREAMP FOR PROPER OUTPUT LEVEL  
TURN TRIM POTS VR1 AND VR3 TO MAXIMUM VOLUME  
(TRIM POT VR2 IS NOT USED FOR THIS APPLICATION)  
OUTPUT VOLUME OF PIEZO AND MAGNETIC PICKUPS  
SHOULD BE EQUAL. REDUCE VOLUME OF LOUDER PICKUP  
BY ADJUSTING TRIM POT IF NECESSARY TO BALANCE OUTPUT.

NOTE:  
THIS DRAWING AND ALL OF THE INFORMATION HEREON  
ARE THE CONFIDENTIAL PROPERTY OF GIBSON, INC. AND  
MAY NOT BE REPRODUCED OR USED FOR ANY PURPOSE  
EXCEPT AS EXPRESSLY AUTHORIZED IN WRITING BY GIBSON, INC.



LTR	REVISION	PCA NO.	DATE	STEINBERGER 645 MASSMAN DRIVE NASHVILLE, TN 37210 (615) 871-9585	PART: WIRING DIAGRAM - Steinberger Synapse EMGSYN-G-1 (TRANSCALE)		
A	12 PIN HEADER/NEW PIN OUT (EMG PCB rev E)		8/19/04		SCALE:	DATE: 8/19/04	MAT'L: N/A
					DRAWN: <i>Richard Aters</i>	CHK:	PART NO.: DIASYNG